

SNOL 24/200 LSP01

Economical low temperature oven SNOL 24/200 is designed for thermal treatment of various materials and parts up to 200°C. This electric oven is designed for thermal treatment such as drying, heating, thermal testing, aging and similar purposes in an air-flow environment. Good technical parameters ensure to high-quality results. This oven can be used in scientific laboratories, educational institutions, medicine and industry.

Basic model

- ✓ Inside chamber made from mild steel,
- ✓ 2 shelves,
- ✓ Outside casing in metal sheet, powder painting grey,
- ✓ Control box on the under part,
- ✓ Four sides heating,
- ✓ Natural air circulation without air fan,
- ✓ Insulation – rock wool (complete lack of asbestos),
- ✓ Door opens to the right, inner door in stainless steel, silicon joint,
- ✓ Microprocessor – temperature controller,
- ✓ Low electric power usage for increased energy efficiency,
- ✓ Short heating up / cooling down period.

Options

- ✓ Additional standard shelves
- ✓ Reinforced shelves
- ✓ Metal tray
- ✓ Digital timer for delayed start only
- ✓ Buzzer
- ✓ Over-temperature protection
- ✓ Data communication/USB
- ✓ Calibration of temperature measurement system
- ✓ Oven exterior made of stainless steel
- ✓ Stand for supporting the oven
- ✓ Additional 1 year warranty

Specifications

Technical data	SNOL 24/200 LSP01
Volume, L	24
Maximum temperature, °C	200
Continuous operating temperature, °C	T+10-200
Power	1
Rated supply voltage, V	230
Number of phases	1
Rated frequency, Hz	50
Chamber material	Mild steel
Maximum heating-up time (without charge), min.	40
Temperature stability	1
Temperature uniformity	15°C
Airflow	Natural
Shelves (number)/max.	2
Chamber width, mm	300
Chamber depth, mm	380
Chamber height, mm	200
Overall width, mm	400
Overall depth, mm	515
Overall height, mm	410
Mass (Netto), kg	18

